

Follow Us



www.citadelinfraas.com



ELECTRIC TENT

PRACTICAL PROTECTION FOR EVERY SPACE




Electric Tent – Your Versatile Solution for Sun and Rain Protection!
Designed for convenience and practicality, this economical sliding shelter is perfect for temporary factory warehouses, large food stalls, car washing yards, repair shops, logistics shops, outdoor parking lots, and large event venues. Experience seamless functionality with our innovative retractable design, crafted to meet your every need.



Sun
Protection




Rain Proof




PVC Fabric




Easy to
Install



Thickened
skeleton





Electric
intelligence




Support
Customization



Structural Diagram



Structural Frame Combination Axonometric Drawing



Profile Parameters


COMPONENT NAME	MATERIAL	SPECIFICATIONS (MM)
Diagonal Brace of Column	Q235 Hot-dip Galvanized Angle Steel	L40*4
Arc Beam of Framework	Q235 Hot-dip Galvanized Steel Tube	40*60*2
Vertical Support of Framework	Q235 Hot-dip Galvanized Steel Tube	40*60*2
Diagonal Support of Framework	Q235 Hot-dip Galvanized Angle Steel	L40*4
Cross Beam of Framework	Q235 Hot-dip Galvanized Steel Tube	60*60*2
Telescopic Roof Frame	Q235 Hot-dip Galvanized Steel Tube	20*40*2
Telescopic Column Frame	Q235 Hot-dip Galvanized Steel Tube	20*40*2
Column of Framework	Q235 Hot-dip Galvanized Round Steel Tube	Φ89*2.5
Rail	Q355B Special-shaped Steel	300*150*6.5*9
Bracket	Q355B Special-shaped Steel	300*150*6.5*9

Suitable for various scenarios

Meet different installation environments and customize sizes



GYMNASIUM



MOBILE RESTAURANT



PLANT



WAREHOUSE

Product Details Display




Thickened And Bold Galvanized Column

Thickened and bold galvanized pipe pillar Strong bearing capacity, good stability Rust-proof, long service life

Thickened Scissors Holder

Reinforced and thickened galvanized steel scissors holder, firm and stable



Beam Framework

With diagonal braces added to the beam framework, provides enhanced support strength, ensuring sturdiness, durability,

Solid Casters

Smoothly retractable and wear-resistant wheels. Our wheels exhibit strong wind resistance even in harsh weather conditions, offering significant advantages in both quality and durability.



Nylon swivel casters

Optional 4-inch to 8-inch solid swivel nylon wheels Excellent rolling performance and obstacle-crossing ability Effortless pushing experience


Aesthetically Pleasing Welding

Fully welded, ultra-strong joints. Reinforced with large screws for secondary fixing. The welding areas have also undergone aesthetic treatment for a more pleasing appearance.



TRIANGLE CROSSING DESIGN

Easy and convenient sliding and retraction. The skeleton is made of thickened galvanized steel pipes which have a long service life and strong load-bearing capacity.



➤ High Structural Reliability

Suitable for withstanding impacts and dynamic loads with good seismic performance. The internal organizational structure of the steel is uniform and the reliability of the steel structure is high.



➤ High Quality Pipes

Thickened galvanized steel pipe column with strong load-bearing capacity



Anti Aging PVC Knife Scraping Cloth


Strong waterproof and leak proof Long lasting and durable with high toughness Authoritative quality inspection, environmental protection, non-toxic Encryption weaving, wear-resistant and durable



Industrial high-strength - sandwich flame-retardant fabric Vibrant colors



Waterproof




Sunscreen



Tear
resistant



Cold resistant
and insulated



Heat-
Resisting



Anti aging

Fabric name

PVC knife scraping cloth

Coating type

PVDF

Tensile strength

4200/4500 N/5cm (longitude/latitude)

Tear strength

600/500 N (longitude/latitude)

Fabric color

White, red, yellow, blue, green, gray

Fabric weight

950g/ m²

Applicable temperature

-30°C/+70°C

Light transmittance

6-8%

Other functions

Anti freeze crack, anti mold and anti-aging



red



green




yellow



blue



grey




camouflage



Strong power Smooth operation

The coils are made of brand-new national standard copper wire which is heat-resistant and has a slow heating rate ensuring the motor operates efficiently, smoothly, and safely.



Motor Parameters

Product Name: Tapered Rotor Motor

Current: 5.6A

Frequency: 50Hz

Voltage: 380V

Model: ZDY123-4

Power: 2.2KW

Rotation Speed: 1380R/MIN

Braking Torque: 15N.M



High-precision Rotor

Brand-new National Standard Rotor featuring lightweight and low-noise rotation, designed for high-speed operation with long-lasting durability.

Seiko bearings

Exhibit excellent soundproofing and dust-proofing effects, with longer service life and greater durability.

Pure copper coils

Fully copper-wound coils, delivering more powerful performance and operating with greater efficiency and stability.

ONE CLICK CONTROL OF SMART LIFE

Intelligent remote control eliminates manual folding
making high-tech life worry free and more convenient



Case Presentation



CONTACT US



+91 98192 34618



vinaykumar@citadelinfraas.com



citadelbuildingsystem



www.citadelinfraas.com



C-130, Antophil Warehousing Complex,
Nr. Dosti Acres, VIT Road, Wadala (E),
Mumbai Maharashtra 400037, India

